Features

1. Диагональные плоскогубцы изготовлены из стали Cr-V, могут использоваться для тяжелых работ.
2. Высокочастотные закаленные прецизионные режущие кромки, твердость HRC54-62
3. Двухцветная ПВХ-ручка с защитой от пальцев
4. 4.5 " размер
5. Соответствует стандартам CE

Specification

Модель:	Диагональные плоскогубцы BEST-4
Материал:	Cr-V сталь + ПВХ-ручка с покрытием
Термическая обработка:	Без подкисления 42-50HRC для тела Высокочастотный 54-62HRC для лезвия
Обработка поверхности:	масло против ржавчины
Размер:	135мм
Пакет:	12шт / коробка
N.W.	101g / шт
G.W .:	1.42kg / коробка

Application

Диагональные плоскогубцы обычно используются для резки различных видов тонкой проволоки, свинцовой проволоки, мягкой проволоки, монтажной платы, пластмассового остаточного материала, такого как

- Проводка управляющего блока промышленного робота.
- IC печатная плата и компьютерные проводки
- Домашние электронные устройства.
- Радио и другие телефонные и телеграммы.
- Электрический контур автомобиля.
- Другие точные проводки для предметов D.I.Y.

PRODUCT DISPLAY

PRODUCT SIZE

Material:high quality alloy steel(60CR-V)

Process:using repeated forging,the surface is polished after grinding and processing by precision machining

Hardness:the overall hardness is HRC38-42 the blade hardness is HRC56-62

Shear capacity:HRC20 below

Hard wire Φ1.5mm

soft copper wire,aluminum wire Φ0.1-2.0mm

PRODUCT DETAILS

Front

Back side



User manual

Warning

This model is not insulated tools. Please use it when power off.

Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH

PRODUCT PACKAGING

WEIGHT:82G

FRONT

75MM



BACK