

# BACKLIGHT

## DIGITAL MULTIMETER




## Product Usage

| BASIC SKILLS              | RANGE                             | BASIC ACCURACY |
|---------------------------|-----------------------------------|----------------|
| DC VOLTAGE                | 220mA/2V/20V/200V/500V            | ± (0.5%+4)     |
| AC VOLTAGE                | 200V/500V                         | ± (0.8%+10)    |
| DC CURRENT                | 2mA/20mA/200mA/10A                | ± (0.8%+3)     |
| RESISTANCE                | 200Ω/2KΩ/20KΩ/2200kΩ/2MΩ          | ± (0.8%+5)     |
| SPECIAL FUNCTION          |                                   | BST-VC830L     |
| DIODE, TRIODE TEST        | ✓                                 |                |
| ON-OFF ALARM              | ✓                                 |                |
| LOW VOLTAGE DISPLAY       | ✓                                 |                |
| FUNCTIONAL PROTECTION     | ✓                                 |                |
| 200MA GEAR INSURANCE      | ✓                                 |                |
| 10A GEAR INSURANCE        | ✓                                 |                |
| EARTHQUAKE PROTECTION     | ✓                                 |                |
| INPUT RESISTANCE          | 10MΩ                              |                |
| OPERATION METHOD          | Manual range                      |                |
| MAXIMUM DISPLAY           | 1999                              |                |
| LCD DISPLAY               | 40X32mm                           |                |
| POWER SUPPLY              | 9V(6F22)                          |                |
|                           |                                   |                |
| BODY COLOR                | white green combination           |                |
| BODY WEIGHT               | 150g                              |                |
| DIMENSIONS                | 143x70x33.2mm                     |                |
| STANDARD ACCESSORIES      | Test pen, battery, English manual |                |
| STANDARD INNER PACKAGING  | Color box                         |                |
| STANDARD PACKAGE QUANTITY | 100 units                         |                |
| PACKAGE SIZE              | 158x108x50mm                      |                |
| CARTON SIZE               | 600*450*405mm                     |                |
| CARTON GROSS WEIGHT       | 24.7kg                            |                |



# EASY TO READ DATA

BACKLIGHT DISPLAY







**WIPE LINE JACK  
EASY TO INSERT  
JACK FASTENING**









# PRODUCT SIZE



# PRODUCT SIZE

