

□□□□□□□□□□□□□□

□□□□: 55 * 35 □□

□□□□□□: □□□□□□ 5 □□. / 0.20 □□□□

□□□□□□□□: 500 ° C

□□□□□: organosilicone □□□□□□□□□□□□□□□□□□

□□: □□□□□□

□□□□□□: □□□□□□□□□□□□□□

□□□□□□□□□□□□: □□□□□□ 750 □□□□

HIGH TEMPERATURE RESISTANT SILICA GEL WORKING PAD



Heat resistance



Soft silicone



Magnet adsorption



anti-static

Product Usage



MATERIAL	SOFT SILICA GEL
WEIGHT	750g
PACKAGING SIZE	550mmx350mm
PRODUCT TYPE	WORK MAT
MODEL	S-180A1

▼ CHARACTERISTICS

This product is used for IC products repairing (suitable for some models). It is made of high-quality silicone insulation for high temperature resistance. With 4.0mm thickness, it has several card slots for placing various tools. The storage groove has magnetic adsorption, where small screws can be placed to prevent loss.

PRODUCT INFORMATION

HIGH QUALITY SILICA GEL

SOFTNESS AND HIGH ELASTICITY



It is designed for the placement of screwdrivers.
Very stable support screwdriver, make the operation more convenient.



Magnetic adsorption



Heat resistance



① SCREWDRIVER HEAD STORAGE

② COVER STORAGE BOX

③ SCREWS PLUS MAGNETIC ZONE

④ SCREW POSITION

⑤ MEASURING RULER

⑥ SCREWDRIVER PLACEMENT AREA

⑦ TOOL PLACEMENT AREA

PRODUCT SIZE



Thin to 4.00mm

It can resist 500°C high temperature

