Features

- 4

Specification 🔏

000000000000000		
000000000 DC	200mV / 2V / 20V / 200V /500V	$\pm (0.5\% + 3)$
	200V /500V	$\pm (0.8\% + 5)$
	2mA / 20mA / 200mA /10A	$\pm (0.8\% + 10)$
	200Ω/ 2kΩ/ 20kΩ/ 200kΩ/ 2ΜΩ	$\pm (0.8\% + 3)$
	000000000 B830I	
	$\sqrt{}$	
	\checkmark	
□□□□ 200mA	\checkmark	
1 0A		
	\checkmark	
Input impedance	10ΜΩ	
	000000000000	
	1999	
	40× 320000000	
	9V (6F22)	

	Body: Black Holster: 🔲 🗎 🗎 🗎	
	151g (00000000000)	
	145×61×340000000	
	Touch Probe, [][][][][][], [][][][], [][][][][]	
	205* * * *145* * * *40	
	40sets / [][][]	
C arton	57.5 * 43.5 * 34	





Operation Panel

- 1. Logo and model
- 2. LCD monitors
- 3. HOLD: Data hold and backlit keys
- 4. Backlight
- 5. Transistor test blocks: Test transistor input port
- Rotary switch: Used to select a variety of measurement functio -ns and ranges
- 7. 10A: 10A Current test socket
- 8. COM: Negative input terminal, insert the black pen
- VΩmA: Voltage, resistance, current socket

Detail



Large screen fluorescent display legible, simulation of bars and unit symbol display.



Table pen jack exquisite workmanship, smooth and fastened into the table pen



Dial stalls accurate, durable, rotating stall completely positioned to the stall, accurate positioning. Feel comfortable, strong sense of pause between stalls.

ABOUT US



Shenzhen Jinliyang Technology Co., Ltd is a professional large-scale manufacturer of Power bank and repairing tools for communication products.

With 20 years abundant experience in manufacturing and wholesale industry, we have set up subsidiary companies one by one in some cities in China and built up a complete sales network. Depending on quality products and the tenet of honesty and credit, we have established good long term cooperation with customers all over the world. Our brands "BEST" and" SUYOU" have been know abroad, and CE and Rohs certificates of our products are approval.

"Sincerity oriented and credibility is the first" is our service tenet.



































Production workshop

