Features

1, □□□□□□□□□□□□□□□□□, □□□ zero-crossing, □□□□□□□□□□□□□□□□ LED, □□□□□□□□□□□□, □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□,
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

2, □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□, □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□, □□□□□□□
□□□□□□□□□□□□□□□□, □□□□□□□□□□□□□□□□□□□□□□□□

3□□
□□□□□□□□□□□□□□□□□□□□□□□□□

4 □□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□
□□

Specification

□□□	**858D**+	
□□□□	□□□□□□□□□□□□□□□□□ □□□□□□□	□□□□□□□□□□□□□□□□ LED
□□□□□□□□□□□□□□	700W	
□□□□□□□□□□ & □□□□□□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□	
□□□□□□□□□□□□□□□□□□□□□□	120 □□□□□□□□□□□□ (MAX)	
□□□□□□□□□□□□□□□□	□□□□□□□□□□□□□□□□□□ □□ LED	LED □□□□□□□□□□□□□□□□□□□□□ □□□□ (□□□□□□□□□□□□□□□□□□: 1 ° C)
□□□□ Temperture □□□□□□□	100 ° C-450 ° C	
□□□□□□□□□□□□□□□□□□□□□□□□□□ (inc.handle cord)	120	
□□□□	138mm (□□□) * 100mm (□□□□□) * 150mm (□□□)	
□□□□□□□□□□□□□□	1.55KG	
□□□□□□□□□□□□	□□□□□□□□□ 45dB	

Application

1 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ SOIC, CHIP, QFP, PLCC □□□ BGA □□□ (□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□)

2, □□□□□□□□□□□□□□□□ contrion, □□□□□□□□□, depainting, degluing, □□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□ □

PRODUCT DISPLAY

PRODUCT SIZE

PRODUCT DETAILS

PRODUCT FEATURES

Front

Behind

Name: Lead screw type hot air gun

Features2: Brushless fan with long lifetime,low noise

Features3: Adjustable airflow, large and soft airflow, easy adjustment of temperature,suitable for multiple usages Features4 Automatic cooling function of the system will prolong the life of heating element, and protect the hot air gun.



Internal structure

High-quality heating body warming fast

Ni-Cr alloy heating core, fast heating,

high temperature, long life, real material



PRODUCT PHOTOGRAPH

PRODUCT PACKAGING

WEIGHT:1.8KG