Features

1. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ Cr-V □□□□□□□□□□□□□□□□□□□
2. □□ HRC54-62
3. □□□□□□ PVC □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□ 4.5 ''
5. □□□□□□□□□□□□□□□□□□ CE

Specification

□□□□:	BEST-2D □□□□□□□□□□□
□□□□□:	□□□□□□□□□ Cr-V + PVC □□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□:	□□□□□□□□□ 42-50HRC □□□□□□□□□□□□□ □□□□□□□□□□ 54-62HRC □□□□□□□□□□□
□□□□□□□□□□□□□□:	□□□□□□□□□□□□□□□□□
□□□□:	108mm
□□□□□□:	12pcs / □□□□□
N.W.	86.5g / PC
G.W .:	1.22kg / □□□□□

Application

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□
□□
□□□□□□□□ IC □□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □
□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□ □ □□□□□□□□□□□□□ D.I.Y

PRODUCT DISPLAY

PRODUCT SIZE

Name: Diagonal cutting pliers

Model: BST-2D

Material: 60CR-V

Brand: BEST

Hardness: HRC38-42

Blade Hardness: HRC56-62

Size: 108mm

Weight: 86.5g

Range: HRC20

below: hard wireΦ1.5mm,copper wire or aluminum wireΦ0.1-2.0mm

Process: using repeated forging, the surface is polished after grinding and processing by precision machining.



PRODUCT DETAILS

Cutting range

- ✔ HRC20 below: hard wireΦ1.5mm, copper wire or aluminum wireΦ0.1-2.0mm
- ✔ Made of high quality alloy steel CR-V
- ✔ For family, electronic maintenance, manufacturing and other industries

PRODUCT PHOTOGRAPH

User manual

Warning

This model is not insulated tools. Please use it when power off.

Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PACKAGING

WEIGHT:89G

FRONT

75mm



FRONT