

Features

1. 鋼製（Cr-V）
2. 鋼製（HRC54-62）
3. PVC 製（4.5"）
5. CE

Specification

品名:	BEST-2D 鋼板鋼板鋼板
材質:	鋼板鋼板 Cr-V + PVC 鋼板鋼板鋼板鋼板
鋼板鋼板鋼板鋼板:	鋼板鋼板 42-50HRC 鋼板鋼板鋼板鋼板 鋼板鋼板鋼板 54-62HRC 鋼板鋼板鋼板鋼板
鋼板鋼板鋼板鋼板:	鋼板鋼板鋼板鋼板鋼板
厚度:	108mm
數量:	12pcs / 鋼板鋼板
N.W.	86.5g / PC
G.W .:	1.22kg / 鋼板鋼板

Application

000000000000000000000000000000000000 0 00000000000000000000000000000000
 000000000000
 00000000000000000000000000000000000000
 00000000 IC 000000000000000000000000
 00000000000000000000000000
 000000000000000000000000000000 0
 00000000000000000000
 00000000000000000 D.I.Y

PRODUCT DISPLAY



PRODUCT SIZE

Name: Diagonal cutting pliers

Model: BST-2D

Material: 60CR-V

Brand: BEST

Hardness: HRC38-42

Blade Hardness: HRC56-62


Size: 108mm

Weight: 86.5g

Range: HRC20

below: hard wire $\Phi 1.5\text{mm}$, copper wire
or aluminum wire $\Phi 0.1-2.0\text{mm}$

Process: using repeated forging,
the surface is polished after grinding
and processing by precision machining.



PRODUCT DETAILS



Cutting range

- ✓ HRC20 below: hard wire Φ 1.5mm, copper wire or aluminum wire Φ 0.1-2.0mm
- ✓ Made of high quality alloy steel CR-V
- ✓ For family, electronic maintenance, manufacturing and other industries

PRODUCT PHOTOGRAPH



User manual



Warning

This model is not insulated tools. Please use it when power off.



Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.


PRODUCT PACKAGING

WEIGHT:89G



180mm

FRONT



75mm

FRONT