

S-130 +

□□□□: 25 * 35 □□
□□□□□□□: □□□□□□ 5 □□. / 0.20 □□□□
□□□□□□□□□□: 500 ° C
□□□□□: organosilicone □□□□□□□□□□□□□□□□□□□□
□□: □□□□□□□□
□□□□□□□: □□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□: □□□□□□ 25 □□□□

## Free Sample

**Pls [click](#) here and send me your requirement to get free sample.**

# HIGH TEMPERATURE RESISTANT SILICA GEL WORKING PAD



Heat resistance



Soft silicone



Magnet adsorption



anti-static

## Product Usage



Model	BST-130+
Weight	25g
Package dimensions	350mm*250mm
product type	Work mat
Batch material	Silica gel

### ▼ CHARACTERISTICS


This product is used for IC products repairing (suitable for some models). It is made of high-quality silicone insulation for high temperature resistance. With 4.0mm thickness, it has several card slots for placing various tools. The storage groove has magnetic adsorption, where small screws can be placed to prevent loss.

## PRODUCT INFORMATION

### HIGH QUALITY SILICA GEL

SOFTNESS AND HIGH ELASTICITY






Magnetic adsorption



Heat resistance






- ①SCREWDRIVER HEAD STORAGE
- ③SCREWS PLUS MAGNETIC ZONE
- ⑤TOOL PLACEMENT AREA

- ②COVER STORAGE BOX
- ④SCREW POSITION
- ⑥MEASURING RULER

## PRODUCT SIZE



Thin to 4.00mm

It can resist 500°C high temperature

