


電源電圧	AC 220V ± 10% 50Hz
消費電力	720W ± 10%
動作温度範囲	100 °C ~ 450 °C
最大容量	120L / 120mm (最大径)
温度精度	± 2 °C (最大径)
最大径	120mm
最大径	LED 最大径
最大径	最大径
最大径	最大径 45dB
最大径	5mm, 8mm, 10mm
最大径:	最大径
最大径	
S電源電圧	AC 26V ± 10% 50Hz
消費電力	40W ± 10%
動作温度範囲	200 °C ~ 480 °C
最大容量	± 2 °C (最大径)
最大径	最大径
最大径	LED 最大径
最大径	最大径
最大径 Tip-to-ground:	<2Ω
最大径	<2mV

PRODUCT DISPLAY

2 in 1 digital display lead-free helical wind hot air soldering station



PRODUCT SIZE



PRODUCT DETAILS





PRODUCT FEATURES



Brand:		Name:	2 in 1 digital heat gun rework station
Model:	BST-898D+	Rated voltage:	AC 110/220V 50/60HZ
Rated power:	720W	Airflow:	120L/min (Max)
Air gun temperature range:		100 ° C - 450 ° C	
Soldering iron temperature range:		200 ° C - 480 ° C	
Weight(including packaging):	2.75KG	Size:	Packing: L265*W170*H145mm
			Machine: L98*W140*H132mm
Accessories:	898D+, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter		
Features:	1. 1. LED air gun temperature display and soldering iron temperature display, temperature is accurate and stable, clearly visible		
	2.Imported ceramic heating core, the handle is made of high temperature resistant silicone wire.		
	3. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly.		
	4. High power, fast heating, anti-static, temperature adjustable		



Imported ceramic heating core, the handle is made of high temperature resistant silicone wire.




200°C~480°C

Rapid temperature rise
durable Intelligent, put back on the
bracket to automatically cool down



Pure copper transformer





PRODUCT PACKAGING



Package:
265*170*145mm



BST-898D+



Power cable



Soldering Iron frame



Soldering Iron

Starter 

Wrench 



Wind gun nozzle 5, 8, 10mm