

Features

材質: Cr-v 鉚釘鉗  
用途: 鋼絲, 鋼絲, 鋼絲鉗, 鋼絲鉗  
適用: 鋼絲 PVC / TPR 鋼絲鉗

Specification

|        |                                      |
|--------|--------------------------------------|
| 型號:    | 鉚釘鉗 BEST-21                          |
| 材質:    | 鉚釘鉗 Cr-V + PVC 鉚釘鉗                   |
| 硬度:    | 鉚釘鉗 42-50HRC 鉚釘鉗<br>鉚釘鉗 54-62HRC 鉚釘鉗 |
| 重量:    | 鉚釘鉗                                  |
| 長度:    | 135mm                                |
| 包裝:    | 12pcs / 包裝                           |
| N.W.   | 101g / PC                            |
| G.W .: | 1.42kg / 包裝                          |

PRODUCT DISPLAY



## PRODUCT SIZE

**Name:** Diagonal cutting pliers

**Model:** BST-21

**Material:** 60CR-V

**Brand:** BEST

**Hardness:** HRC38-42

**Blade Hardness:** HRC56-62


**Size:** 125mm

**Weight:** 100g

**Range:** HRC20

**below:** hard wire  $\Phi 1.5\text{mm}$ , copper wire  
or aluminum wire  $\Phi 0.1-2.0\text{mm}$

**Process:** using repeated forging,  
the surface is polished after grinding  
and processing by precision machining.



## PRODUCT DETAILS

---



### ***Cutting range***

- ✓ HRC20 below: hard wire  $\Phi$ 1.5mm, copper wire or aluminum wire  $\Phi$ 0.1-2.0mm
- ✓ Made of high quality alloy steel CR-V
- ✓ For family, electronic maintenance, manufacturing and other industries

## PRODUCT PHOTOGRAPH

---



## User manual



### Warning

This model is not insulated tools. Please use it when power off.



### Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.


## PRODUCT PACKAGING

WEIGHT:98G



180mm

FRONT



75mm

FRONT